

UV COATED - EMBOSSED

# Concept Click

PREMIUM



**Jeoflor**  
AUSTRIA



34-43


# STONE



T5-001 Cement



T5-003 Milano



T5-006 Lime White



T5-008 Imperial Gold



34-43


# CLASSIC




P5-001 London Style



P5-003 Thai Story



P5-005 New York Times



P5-006 Berlin Image




34-43

# CLASSIC



P5-007 Burma Legend



P5-008 Oriental Charm



P4-0051 European Oak



P4-0052 American Oak



34-43

# WOOD




P4-0053 Hickory Toffee



P4-0054 Cambridge



P4-0055 Swiss Oak



P4-0056 Burma Teak



P4-0057 Golden Oak



34-43

# WOOD



P4-0058 Rustic Oak




P4-0059 Royal Oak Coffee



P4-0060 Honey Oak



P4-0061 Oxford




P4-0062 Brownie



34-43

# STONE




T5-011 White Marble



T5-012 Dark Grey



T5-013 Oxford Grey



T5-014 Light Grey

TECHNICAL SPECIFICATION			PLANK	TILE
Dimension	DIMENSION		4x150x1220mm	5x305x610mm
			4x180x1220mm	5x313x626mm
			4x183x1220mm	
			5x183x1220mm	
			5x220x1524mm	
			5x231x1524mm	
			6x228x1524mm	
Nutzschicht	WEAR LAYER		0.3/0.5/0.7mm	0.3/0.5/0.7mm
Trägermaterial	SUPPORT		PVC	PVC
Gleiteribwert	SLIP RESISTANCE	EN 1815	DS	DS
Elektrostat. Verhalten	ELECTROSTATIC VOLTAGE	EN 1401	Antistatic	Antistatic
Stuhlrollen	STAIR ROLLS	EN 425	Passed	Passed
Verschleißgruppe	WEAR RESISTANCE	EN 660-2	Group T	Group T
Feuerbeständig	FIRE RESISTANCE	EN 13501	Bfl-s1	Bfl-s1



Be connected!



#Jeoflor



Our related products!



Floor  
Self Leveling



Wall Coverings  
& Protections



Skirting &  
Profiles



Handrails

# Jeoflor

Alptahls GmbH, Bürgergasse 4, 8330 Feldbach, Austria.

Tel. +43 (0)3152 370 49

info@jeoflor.com www.jeoflor.com

Toll Free : 18002028498