


ELECTRO+




TILES  608x608mm $10^4 \leq R_t \leq 10^6 \Omega$ (EN 1081)




34-43



0638 Blue



0636 Grey




0635 White





0637 Light Blue




0639 Green




0640 Beige



0352 Grey




0350 Light Grey



0355 Green



0356 Ink Blue



0353 Beige

JEO ESD ROLL

JEO ESD TILE

DESCRIPTION				
Total thickness	EN 428	mm	2.0	2.0/3*
Weight	EN 430	g/sq.m	2900	3440
Width/length of sheet	EN 426	cm / lm	200 / 20	-
Tile size	EN 427	mm	-	608 x608
Number of tiles per package	-	-	-	20
CLASSIFICATION				
Standard / product specification	-	-	EN10581	EN10581
European classification	EN 685	class	34-43	34-43
Fire rating	EN 13501-1	class	Bfl - s1	Bfl - s1
Electrical resistance	EN 1081	Ohm	$10^4 \leq Rt \leq 10^6$	$10^4 \leq Rt \leq 10^6$
Static electrical propensity	EN 1815	kV	< 2	< 2
Slip resistance wet	DIN 51 130/BGR 181	class	R9	R9
PERFORMANCE				
Wear resistance	EN 660.2	mm ³	≤ 4.0	≤ 4.0
Wear group	NF 189	-	T	P
Type binder content	EN ISO 10581	Type	I	II
Dimensional stability	EN 434	%	≤ 0.40	≈ 0.25
Residual indentation	EN 433	mm	≈ 0.03	≈ 0.03
Castor chair test (Type W)	EN 425	-	OK	OK
Thermal conductivity	EN 12 524	W/(m.K)	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6
Chemical resistance	EN 423	-	OK	OK
Surface treatment	-	-	Pur+ Protected	Pur+ Protected
ENVIRONMENT / INDOOR AIR QUALITY				
TVOC after 28 days	ISO 16000-6	$\mu\text{g}/\text{m}^3$	< 10	< 10
CE MARKING				
CE	EN 14041			

* Available in 3mm thickness. Special order with MOQ

Be connected!



#Jeoflor



Our related products!



Floor Self Leveling



Wall Coverings & Protections



Skirting & Profiles



Handrails



LCA

Eco-designed according to a product specific Life Cycle Analysis



WELLNESS

Walking comfort < 75 dB



REACH

COMPOSITION

100% REACH compliant



INDOOR AIR QUALITY

TVOC emissions 100 times better than norm requirements (TVOC < 10 $\mu\text{g}/\text{m}^3$ after 28 days)



RECYCLABILITY

100%



RECYCLED CONTENT

25%

Jeoflor

Alptahls GmbH, Bürgergasse 4, 8330 Feldbach, Austria. =

Tel. +43 (0)3152 370 49

info@jeoflor.com www.jeoflor.com

Toll Free : 18002028498

